

# **DRONACHARYA** Group of Institutions

## **LAB MANUAL**

**Session: 2024-2025 (Odd Semester)**

## **Web Technology Lab**

**SUBJECT CODE: BCS-552**

**Department of Computer Science and Information Technology  
B.Tech, Third Year, Session-2024-25 (ODD)**

**Dronacharya Group of Institutions  
Dr. A P J ABDUL KALAM TECHNICAL UNIVERSITY,  
LUCKNOW.**

## **Table of Contents**

1. Vision and Mission of the Institute.
2. Vision and Mission of the Department.
3. Program Outcomes (POs).
4. Program Educational Objectives (PEOs/PSOs).
5. University Syllabus.
6. Course Outcomes (COs).
7. Course Overview.
8. List of Experiments mapped with COs.
9. DO's and DON'Ts.
10. General Safety Precautions.
11. Guidelines for students for report preparation.
12. Lab Experiments.

# **DRONACHARYA GROUP OF INSTITUTIONS GREATER NOIDA**

## **VISION**

- Instilling core human values and facilitating competence to address global challenges by providing Quality Technical Education.

## **MISSION**

- M1 - Enhancing technical expertise through innovative research and education, fostering creativity and excellence in problem-solving.
- M2 - Cultivating a culture of ethical innovation and user-focused design, ensuring technological progress enhances the well-being of society.
- M3 - Equipping individuals with the technical skills and ethical values to lead and innovate responsibly in an ever-evolving digital landscape.

# **DEPARTMENT OF COMPUTER SCIENCE AND INFORMATION TECHNOLOGY**

## **VISION**

- Promoting technologists by imparting profound knowledge in information technology, all while instilling ethics through specialized technical education.

## **MISSION**

- Delivering comprehensive knowledge in information technology, preparing technologists to excel in a rapidly evolving digital landscape.
- Building a culture of honesty and responsibility in tech, promoting smart and ethical leadership.
- Empowering individuals with specialized technical skills and ethical values to drive positive change and innovation in the tech industry.

## Program Outcomes (POs)

Engineering Graduates will be able to:

Program Outcomes	Statement
PO1	<b>Engineering knowledge:</b> Apply the knowledge of mathematics, science, engineering fundamentals, and an engineering specialization to the solution of complex computer engineering problems.
PO2	<b>Problem analysis:</b> Identify, formulate, review research literature, and analyse complex computer engineering problems reaching substantiated conclusions using first principles of mathematics, natural sciences, and engineering sciences.
PO3	<b>Design/development of solutions:</b> Design solutions for complex computer engineering problems and design system components or processes that meet the specific needs with appropriate considerations for the public health and safety, and the cultural, societal, and environmental considerations.
PO4	<b>Conduct investigations of complex problems:</b> Use research-based knowledge and research methods including design of experiments, analysis and interpretation of data, and synthesis of the information to provide conclusions
PO5	<b>Modern tool usage:</b> Create, select, and apply appropriate techniques, resources, and modern engineering and IT tools including prediction and modelling to complex engineering activities with an understanding of the limitations
PO6	<b>The engineer and society:</b> Apply reasoning informed by the contextual knowledge to assess societal, health, safety, legal and cultural issues and the consequent relevant to the professional engineering practices
PO7	<b>Environment and sustainability:</b> Understand the impact of the professional engineering solutions in societal and environmental contexts, and demonstrate the knowledge of, and need for sustainable development
PO8	<b>Ethics:</b> Apply ethical principles and commit to professional ethics and responsibilities and norm of the engineering practices
PO9	<b>Individual and team work:</b> Function effectively as an individual, and as a member or leader in diverse teams, and in multidisciplinary settings
PO10	<b>Communications:</b> Communicate effectively on complex engineering activities with the engineering community and with society at large, such as, being able to comprehend and write effective reports and design documentation, make effective presentations, and give and receive clear instructions
PO11	<b>Project management and finance:</b> Demonstrate knowledge and understanding of the engineering and management principles and apply these to one's own work, as a member and leader in a team, to manage projects and in multidisciplinary environments.
PO12	<b>Life-long learning:</b> Recognize the need for, and have the preparation and ability to engage in independent and life learning in the broadest context of technological change.

## **Program Specific Outcomes (PSOs)**

- **PSO1:** To adapt to emerging technologies and develop innovative solutions for existing and newer problems.
- **PSO2:** To create and apply appropriate techniques IT tools to complex engineering activities with an understanding of the limitations.
- **PSO3:** To manage complex IT projects with consideration of the human, financial, ethical and environmental factors.

## CO – PO Mapping

<b>BCS-552. 1</b>	Practice web designing in technologies like CSS and Bootstrap .
<b>BCS-552. 2</b>	Analyze the data handling layers and security to data flow among different pages.
<b>BCS-552. 3</b>	Specification of servers and communication protocols.
<b>BCS-552. 4</b>	Demonstrate various communication strategy and layers of networking.
<b>BCS-552. 5</b>	Elaborating the connection with various database and encryption methodology

## CO-PSO Mapping:

	<b>PO1</b>	<b>PO2</b>	<b>PO3</b>	<b>PO4</b>	<b>PO5</b>	<b>PO6</b>	<b>PO7</b>	<b>PO8</b>	<b>PO9</b>	<b>PO10</b>	<b>PO11</b>	<b>PO12</b>
<i>CO 1</i>	3	2	3	2	2	-	-	-	-	1	1	3
<i>CO 2</i>	3	3	2	-	2	-	-	-	-	1	1	2
<i>CO 3</i>	3	2	3	3	2	-	-	-	-	1	1	3
<i>CO 4</i>	2	3	3	3	2	-	-	-	-	1	1	2
<i>CO 5</i>	1	3	3	-	2	-	-	-	-	1	1	3

<b>PSO1</b>	<b>PSO2</b>	<b>PSO3</b>
1	2	1
1	3	1
1	3	1
2	2	1
2	2	1

## **Course Overview**

The students will be able to develop and design web applications. Students shall be able to handle server and hosting strategy of various organizations. Students will be able to implement the enhanced security structure in communication with server.

## **Course Objectives**

- To introduce the fundamental concept of web technology and security
- To emphasize the importance of client server model with various layers of security
- To develop effective skills in the implementation of encryption in data



## BCS552- Web Technology Lab

List of Experiments (Indicative & not limited to)

1. Write HTML program for designing your institute website. Display departmental information of your institute on the website.
2. Write HTML program to design an entry form for student details/employee information/faculty details.
3. Develop a responsive website using CSS and HTML. Website may be for tutorial/blogs/commercial website.
4. Write programs using HTML and Java Script for validation of input data.
5. Write a program in XML for creation of DTD, which specifies set of rules. Create a style sheet in CSS/ XSL & display the document in internet explorer.
6. Create a Java Bean for Employee information (EmpID, Name, Salary, Designation and Department).
7. Build a command-line utility using Node.js that performs a specific task, such as converting text to uppercase, calculating the factorial of a number, or generating random passwords.
8. Develop a script that uses MongoDB's aggregation framework to perform operations like grouping, filtering, and sorting. For instance, aggregate user data to find the average age of users in different cities.
9. Assume four users user1, user2, user3 and user4 having the passwords pwd1, pwd2, pwd3 and pwd4 respectively. Write a servlet for doing the following: 1. Create a Cookie and add these four user id's and passwords to this Cookie. 2. Read the user id and passwords entered in the Login form and authenticate with the values available in the cookies.
10. Create a table which should contain at least the following fields: name, password, email-id, phone number Write Servlet/JSP to connect to that database and extract data from the tables and display them. Insert the details of the users who register with the web site, whenever a new user clicks the submit button in the registration page.
11. Write a JSP which insert the details of the 3 or 4 users who register with the web site by using registration form. Authenticate the user when he submits the login form using the user name and password from the database.
12. Design and implement a simple shopping cart example with session tracking API.

### LIST OF PROGRAMS

S. No	Aim of the	COs
1.	Write HTML program for designing your institute website. Display departmental information of your institute on the website.	CO1
2.	Write HTML program to design an entry form for student details/employee information/faculty details.	CO4

3.	Develop a responsive website using CSS and HTML. Website may be for tutorial/blogs/commercial website.	CO1
4.	Write programs using HTML and Java Script for validation of input data.	CO2
5.	Write a program in XML for creation of DTD, which specifies set of rules. Create a style sheet in CSS/ XSL & display the document in internet explorer.	CO3
6.	Create a Java Bean for Employee information (EmpID, Name, Salary, Designation and Department).	CO3
7.	Build a command-line utility using Node.js that performs a specific task, such as converting text to uppercase, calculating the factorial of a number, or generating random passwords.	CO4
8.	Develop a script that uses MongoDB's aggregation framework to perform operations like grouping, filtering, and sorting. For instance, aggregate user data to find the average age of users in different cities.	CO5
9.	Assume four users user1, user2, user3 and user4 having the passwords pwd1, pwd2, pwd3 and pwd4 respectively. Write a servlet for doing the following: 1. Create a Cookie and add these four user id's and passwords to this Cookie. 2. Read the user id and passwords entered in the Login form and authenticate with the values available in the cookies.	CO2
10.	Create a table which should contain at least the following fields: name, password, email-id, phone number Write Servlet/JSP to connect to that database and extract data from the tables and display them. Insert the details of the users who register with the web site, whenever a new user clicks the submit button in the registration page.	CO2
11.	Write a JSP which insert the details of the 3 or 4 users who register with the web site by using registration form. Authenticate the user when he submits the login form using the user name and password from the database.	CO4
12.	Design and implement a simple shopping cart example with session tracking API.	CO5

## Experiment plan

### Assignment: 1

**Aim:- Write HTML program for designing your institute website. Display departmental information of your institute on the website.**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Dronacharya Institute</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 0;
```

```
padding: 0;
background-color: #f2f2f2;
color: #333;
}
header {
background-color: #004080;
color: #ffffff;
padding: 20px;
text-align: center;
}
nav {
background-color: #333;
overflow: hidden;
}
nav a {
float: left;
display: block;
color: #ffffff;
text-align: center;
padding: 14px 20px;
text-decoration: none;
}
nav a:hover {
background-color: #575757;
}
.content {
padding: 20px;
text-align: center;
}
.department {
border: 1px solid #cccccc;
padding: 15px;
margin: 10px;
background-color: #ffffff;
border-radius: 8px;
box-shadow: 2px 2px 8px rgba(0, 0, 0, 0.1);
}
.footer {
background-color: #004080;
color: #ffffff;
text-align: center;
padding: 10px;
position: fixed;
bottom: 0;
width: 100%;
}
</style>
</head>
<body>
```

```
<header>
  <h1>Welcome to Dronacharya Institute</h1>
  <p>Your Gateway to Quality Education</p>
</header>
```

```
<nav>
  <a href="#home">Home</a>
  <a href="#about">About Us</a>
  <a href="#departments">Departments</a>
  <a href="#contact">Contact Us</a>
</nav>
```

```
<div class="content" id="departments">
  <h2>Our Departments</h2>
  <p>Explore the various departments at Dronacharya Institute dedicated to fostering
knowledge and innovation.</p>
```

```
  <div class="department">
    <h3>Computer Science and Engineering</h3>
    <p>The CSE department focuses on cutting-edge technologies in software development,
artificial intelligence, and machine learning.</p>
  </div>
```

```
  <div class="department">
    <h3>Electronics and Communication Engineering</h3>
    <p>ECE department provides in-depth knowledge of communication systems,
electronics, and microprocessors, preparing students for the electronics industry.</p>
  </div>
```

```
  <div class="department">
    <h3>Mechanical Engineering</h3>
    <p>The ME department equips students with knowledge in thermodynamics, materials
science, and robotics, with practical experience in workshops.</p>
  </div>
```

```
  <div class="department">
    <h3>Civil Engineering</h3>
    <p>The Civil Engineering department specializes in structural analysis, construction
technology, and environmental engineering.</p>
  </div>
```

```
  <div class="department">
    <h3>Electrical Engineering</h3>
    <p>EE department covers topics like power systems, circuit analysis, and electrical
machines, offering hands-on experience in the labs.</p>
  </div>
</div>
```

```
<div class="footer">
  <p>&copy; 2023 Dronacharya Institute. All Rights Reserved.</p>
```

```
</div>  
</body>  
</html>
```

## Assignment 2 :

Aim : Write HTML program to design an entry form for student details/employee information/faculty details.

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <meta charset="UTF-8">  
  <meta name="viewport" content="width=device-width, initial-scale=1.0">  
  <title>Entry Form</title>  
  <style>  
    body {  
      font-family: Arial, sans-serif;  
      display: flex;  
      justify-content: center;  
      align-items: center;  
      height: 100vh;
```

```
    margin: 0;
    background-color: #f3f3f3;
}
.container {
    width: 400px;
    padding: 20px;
    background-color: white;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    border-radius: 5px;
}
h2 {
    text-align: center;
    color: #333;
}
.form-group {
    margin-bottom: 15px;
}
label {
    display: block;
    margin-bottom: 5px;
    color: #555;
}
input[type="text"],
input[type="email"],
input[type="tel"],
select {
    width: 100%;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 4px;
}
input[type="submit"] {
    width: 100%;
    padding: 10px;
    border: none;
    background-color: #4CAF50;
    color: white;
    font-size: 16px;
    border-radius: 4px;
    cursor: pointer;
}
input[type="submit"]:hover {
    background-color: #45a049;
}
</style>
</head>
<body>

<div class="container">
    <h2>Entry Form</h2>
```

```
<form action="#" method="POST">
  <!-- Name -->
  <div class="form-group">
    <label for="name">Full Name:</label>
    <input type="text" id="name" name="name" required>
  </div>

  <!-- ID Number -->
  <div class="form-group">
    <label for="id">ID Number:</label>
    <input type="text" id="id" name="id" required>
  </div>

  <!-- Email -->
  <div class="form-group">
    <label for="email">Email:</label>
    <input type="email" id="email" name="email" required>
  </div>

  <!-- Contact Number -->
  <div class="form-group">
    <label for="phone">Contact Number:</label>
    <input type="tel" id="phone" name="phone" required>
  </div>

  <!-- Role Selection -->
  <div class="form-group">
    <label for="role">Role:</label>
    <select id="role" name="role" required>
      <option value="">Select Role</option>
      <option value="student">Student</option>
      <option value="employee">Employee</option>
      <option value="faculty">Faculty</option>
    </select>
  </div>

  <!-- Department -->
  <div class="form-group">
    <label for="department">Department:</label>
    <input type="text" id="department" name="department">
  </div>

  <!-- Submit Button -->
  <input type="submit" value="Submit">
</form>
</div>

</body>
</html>
```

### Assignment: 3

Aim:- Develop a responsive website using CSS and HTML. Website may be for tutorial/blogs/commercial website.

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>Responsive Website</title>
```

```
  <style>
```

```
    /* Basic Reset */
```

```
    * {
```

```
      margin: 0;
```

```
      padding: 0;
```

```
      box-sizing: border-box;
```

```
    }
```



```
body {
  font-family: Arial, sans-serif;
  line-height: 1.6;
  color: #333;
  background-color: #f9f9f9;
}

/* Header */
header {
  background-color: #4CAF50;
  color: #fff;
  padding: 20px 0;
  text-align: center;
}

header h1 {
  font-size: 2.5em;
}

/* Navigation */
nav {
  display: flex;
  justify-content: center;
  background: #333;
}

nav ul {
  list-style: none;
  display: flex;
  padding: 10px;
}

nav ul li {
  margin: 0 15px;
}

nav ul li a {
  color: #fff;
  text-decoration: none;
  font-weight: bold;
}

nav ul li a:hover {
  color: #4CAF50;
}

/* Main Content */
.container {
  max-width: 1200px;
```

```
    margin: 20px auto;
    padding: 20px;
}

.content, .sidebar {
    padding: 20px;
    background-color: #fff;
    margin-bottom: 20px;
}

.content {
    flex: 2;
}

.sidebar {
    flex: 1;
}

.row {
    display: flex;
    flex-wrap: wrap;
}

/* Footer */
footer {
    background-color: #333;
    color: #fff;
    text-align: center;
    padding: 10px 0;
}

footer p {
    margin: 0;
}

/* Responsive Design */
@media (max-width: 768px) {
    nav ul {
        flex-direction: column;
        text-align: center;
    }

    .row {
        flex-direction: column;
    }

    .content, .sidebar {
        margin: 0;
    }
}
```

```
</style>
</head>
<body>

<!-- Header Section -->
<header>
  <h1>Welcome to Our Website</h1>
  <p>Your go-to resource for tutorials, blogs, and more!</p>
</header>

<!-- Navigation -->
<nav>
  <ul>
    <li><a href="#">Home</a></li>
    <li><a href="#">Tutorials</a></li>
    <li><a href="#">Blogs</a></li>
    <li><a href="#">About Us</a></li>
    <li><a href="#">Contact</a></li>
  </ul>
</nav>

<!-- Main Content Section -->
<div class="container">
  <div class="row">
    <!-- Main Content -->
    <div class="content">
      <h2>Main Content Area</h2>
      <p>This section is ideal for blog posts, tutorials, or articles. You can update this area with new content that reflects your niche, whether that's technical tutorials, lifestyle blogs, or commercial information.</p>
      <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Vivamus lacinia odio vitae vestibulum vestibulum. Cras venenatis euismod malesuada.</p>
    </div>

    <!-- Sidebar -->
    <aside class="sidebar">
      <h3>About Us</h3>
      <p>We provide quality tutorials and resources to help you learn and grow. Whether you are here to read a blog or follow a tutorial, we're here to guide you through.</p>
      <h3>Recent Posts</h3>
      <ul>
        <li><a href="#">How to Learn HTML</a></li>
        <li><a href="#">Getting Started with CSS</a></li>
        <li><a href="#">Top 10 Coding Tips</a></li>
      </ul>
    </aside>
  </div>
</div>

<!-- Footer Section -->
```

```
<footer>
  <p>&copy; 2024 Your Website Name. All rights reserved.</p>
</footer>

</body>
</html>
```

#### Assignment: 4

Aim:- Write programs using HTML and Java Script for validation of input data.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Form Validation</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
```

```
    margin: 0;
    background-color: #f3f3f3;
}
.container {
    width: 400px;
    padding: 20px;
    background-color: white;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    border-radius: 5px;
}
h2 {
    text-align: center;
    color: #333;
}
.form-group {
    margin-bottom: 15px;
}
label {
    display: block;
    margin-bottom: 5px;
    color: #555;
}
input[type="text"],
input[type="email"],
input[type="tel"],
input[type="password"] {
    width: 100%;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 4px;
}
input[type="submit"] {
    width: 100%;
    padding: 10px;
    border: none;
    background-color: #4CAF50;
    color: white;
    font-size: 16px;
    border-radius: 4px;
    cursor: pointer;
}
input[type="submit"]:hover {
    background-color: #45a049;
}
.error {
    color: red;
    font-size: 14px;
}
</style>
</head>
```

```
<body>

<div class="container">
  <h2>Registration Form</h2>
  <form name="registrationForm" onsubmit="return validateForm()">
    <!-- Name Field -->
    <div class="form-group">
      <label for="name">Full Name:</label>
      <input type="text" id="name" name="name">
      <div id="nameError" class="error"></div>
    </div>

    <!-- Email Field -->
    <div class="form-group">
      <label for="email">Email:</label>
      <input type="email" id="email" name="email">
      <div id="emailError" class="error"></div>
    </div>

    <!-- Phone Number Field -->
    <div class="form-group">
      <label for="phone">Phone Number:</label>
      <input type="tel" id="phone" name="phone">
      <div id="phoneError" class="error"></div>
    </div>

    <!-- Password Field -->
    <div class="form-group">
      <label for="password">Password:</label>
      <input type="password" id="password" name="password">
      <div id="passwordError" class="error"></div>
    </div>

    <!-- Submit Button -->
    <input type="submit" value="Submit">
  </form>
</div>

<script>
function validateForm() {
  // Clear previous error messages
  document.getElementById("nameError").innerText = "";
  document.getElementById("emailError").innerText = "";
  document.getElementById("phoneError").innerText = "";
  document.getElementById("passwordError").innerText = "";

  // Retrieve form values
  const name = document.forms["registrationForm"]["name"].value;
  const email = document.forms["registrationForm"]["email"].value;
  const phone = document.forms["registrationForm"]["phone"].value;
```

```
const password = document.forms["registrationForm"]["password"].value;

let isValid = true;

// Validate Name
if (name === "") {
    document.getElementById("nameError").innerText = "Name is required.";
    isValid = false;
} else if (name.length < 3) {
    document.getElementById("nameError").innerText = "Name must be at least 3
characters long.";
    isValid = false;
}

// Validate Email
const emailPattern = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
if (email === "") {
    document.getElementById("emailError").innerText = "Email is required.";
    isValid = false;
} else if (!emailPattern.test(email)) {
    document.getElementById("emailError").innerText = "Enter a valid email address.";
    isValid = false;
}

// Validate Phone Number
const phonePattern = /^[0-9]{10}$/;
if (phone === "") {
    document.getElementById("phoneError").innerText = "Phone number is required.";
    isValid = false;
} else if (!phonePattern.test(phone)) {
    document.getElementById("phoneError").innerText = "Enter a valid 10-digit phone
number.";
    isValid = false;
}

// Validate Password
if (password === "") {
    document.getElementById("passwordError").innerText = "Password is required.";
    isValid = false;
} else if (password.length < 6) {
    document.getElementById("passwordError").innerText = "Password must be at least
6 characters long.";
    isValid = false;
}

return isValid; // Prevent form submission if validation fails
}
</script>

</body>
```

```
</html>:
```

Assignment: 5

Aim:- Write a program in XML for creation of DTD, which specifies set of rules. Create a style sheet in CSS/ XSL & display the document in internet explorer.

Books.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE books SYSTEM "books.dtd">
<?xml-stylesheet type="text/css" href="styles.css"?>
```

```
<books>
  <book>
    <title>Learning XML</title>
    <author>John Doe</author>
    <publisher>OpenAI Publishing</publisher>
    <price>29.99</price>
  </book>
  <book>
    <title>Advanced HTML</title>
    <author>Jane Smith</author>
    <publisher>Tech Books</publisher>
    <price>39.95</price>
  </book>
</books>
```

Books.dtd

```
<!ELEMENT books (book+)>
<!ELEMENT book (title, author, publisher, price)>
<!ELEMENT title (#PCDATA)>
<!ELEMENT author (#PCDATA)>
<!ELEMENT publisher (#PCDATA)>
<!ELEMENT price (#PCDATA)>
```

Style.css

```
/* Styling for the entire books list */
```

```
books {
  display: block;
  font-family: Arial, sans-serif;
  margin: 20px;
  padding: 20px;
  border: 1px solid #ddd;
  background-color: #f9f9f9;
}
```

```
book {
  display: block;
  margin-bottom: 15px;
  padding: 10px;
  border-bottom: 1px solid #ccc;
}
```

```
title {
```



```
font-size: 20px;
font-weight: bold;
color: #333;
}

author, publisher, price {
display: block;
margin-top: 5px;
font-size: 14px;
color: #555;
}
```

#### Assignment 6:

Aim:- Create a Java Bean for Employee information (EmpID, Name, Salary, Designation and Department):

```
import java.io.Serializable;

public class Employee implements Serializable {
// Private fields
private int empID;
private String name;
private double salary;
private String designation;
private String department;

// No-argument constructor
public Employee() {
```

```
}  
  
// Getters and Setters  
  
public int getEmpID() {  
    return empID;  
}  
  
public void setEmpID(int empID) {  
    this.empID = empID;  
}  
  
public String getName() {  
    return name;  
}  
  
public void setName(String name) {  
    this.name = name;  
}  
  
public double getSalary() {  
    return salary;  
}  
  
public void setSalary(double salary) {  
    this.salary = salary;  
}  
  
public String getDesignation() {  
    return designation;  
}  
  
public void setDesignation(String designation) {  
    this.designation = designation;  
}  
  
public String getDepartment() {  
    return department;  
}  
  
public void setDepartment(String department) {  
    this.department = department;  
}  
  
// Optional: Override toString method for easy display  
@Override  
public String toString() {  
    return "Employee{" +  
        "empID=" + empID +  
        ", name=" + name + "\" +
```

```
    ", salary=" + salary +
    ", designation=" + designation + "\" +
    ", department=" + department + "\" +
    '}'
  }
}
```

#### Assignment: 7

Aim:- Build a command-line utility using Node.js that performs a specific task, such as converting text to uppercase, calculating the factorial of a number, or generating random passwords.

```
#!/usr/bin/env node
```

```
const { program } = require('commander');
const crypto = require('crypto');
```

```
// Utility function to generate a random password
function generatePassword(length, useNumbers, useSpecialChars) {
  const alphabet =
"abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ";
  const numbers = "0123456789";
  const specialChars = "!@#$%^&*()_+~`|}{[]:;><./-=";
```

```

let characters = alphabet;
if (useNumbers) characters += numbers;
if (useSpecialChars) characters += specialChars;

let password = "";
for (let i = 0; i < length; i++) {
  const randomIndex = crypto.randomInt(0, characters.length);
  password += characters[randomIndex];
}
return password;
}

// Command-line options
program
  .version('1.0.0')
  .description('Generate a random password')
  .option('-l, --length <number>', 'length of password', '12')
  .option('-n, --numbers', 'include numbers', false)
  .option('-s, --special', 'include special characters', false)
  .parse(process.argv);

const options = program.opts();

// Generate password based on user input
const length = parseInt(options.length, 10);
const password = generatePassword(length, options.numbers, options.special);

console.log(`Generated Password: ${password}`);

```

#### Assignment: 8

Aim:- Develop a script that uses MongoDB's aggregation framework to perform operations like grouping, filtering, and sorting. For instance, aggregate user data to find the average age of users in different cities.

```

const { MongoClient } = require('mongodb');

async function runAggregation() {
  const uri = "mongodb://localhost:27017"; // MongoDB connection URI
  const client = new MongoClient(uri, { useNewUrlParser: true, useUnifiedTopology: true });

  try {
    await client.connect();
    console.log("Connected to MongoDB!");
  }
}

```

```

// Specify the database and collection
const database = client.db("mydatabase");
const usersCollection = database.collection("users");

// Aggregation pipeline
const pipeline = [
  {
    $group: {
      _id: "$city",
      averageAge: { $avg: "$age" },
      userCount: { $sum: 1 }
    }
  },
  {
    $sort: { averageAge: -1 } // Sort cities by average age in descending order
  },
  {
    $match: { userCount: { $gte: 5 } } // Optional: Filter to show only cities with at
least 5 users
  }
];

// Execute the aggregation
const results = await usersCollection.aggregate(pipeline).toArray();

console.log("Average age by city:");
results.forEach(result => {
  console.log(`City: ${result._id}, Average Age: ${result.averageAge.toFixed(2)}, User
Count: ${result.userCount}`);
});

} catch (err) {
  console.error("Error running aggregation:", err);
} finally {
  await client.close();
}
}

runAggregation().catch(console.error);

```

### Assignment: 9

Aim:- Assume four users user1, user2, user3 and user4 having the passwords pwd1, pwd2, pwd3 and pwd4 respectively. Write a servlet for doing the following: 1. Create a Cookie and add these four user id's and passwords to this Cookie. 2. Read the user id and passwords entered in the Login form and authenticate with the values available in the cookies.

Login.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Login</title>
</head>
<body>
  <h2>Login Form</h2>
  <form action="LoginServlet" method="POST">
```

```

    <label for="username">Username:</label>
    <input type="text" id="username" name="username" required>
    <br><br>
    <label for="password">Password:</label>
    <input type="password" id="password" name="password" required>
    <br><br>
    <input type="submit" value="Login">
  </form>
</body>
</html>

```

LoginServlet.java

```

import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;
import java.io.IOException;
import java.io.PrintWriter;
import java.util.HashMap;
import java.util.Map;

@WebServlet("/LoginServlet")
public class LoginServlet extends HttpServlet {

    // Hardcoded users and passwords
    private static final Map<String, String> users = new HashMap<>();

    static {
        users.put("user1", "pwd1");
        users.put("user2", "pwd2");
        users.put("user3", "pwd3");
        users.put("user4", "pwd4");
    }

    @Override
    public void init() throws ServletException {
        // Creating a cookie with all user data
        StringBuilder cookieValue = new StringBuilder();
        for (Map.Entry<String, String> entry : users.entrySet()) {
            cookieValue.append(entry.getKey()).append("=").append(entry.getValue()).append(";");
        }
        // Adding the cookie
        Cookie userCookie = new Cookie("userAuth", cookieValue.toString());
        userCookie.setMaxAge(60 * 60 * 24); // Cookie expires in one day
        userCookie.setHttpOnly(true); // Make it HTTP-only for security

        // Add the cookie when the servlet initializes
        getServletContext().setAttribute("userCookie", userCookie);
    }
}

```

```

@Override
protected void doPost(HttpServletRequest request, HttpServletResponse response) throws
ServletException, IOException {
    // Get username and password from request
    String username = request.getParameter("username");
    String password = request.getParameter("password");

    // Retrieve the stored cookie
    Cookie[] cookies = request.getCookies();
    Cookie userCookie = null;
    for (Cookie cookie : cookies) {
        if (cookie.getName().equals("userAuth")) {
            userCookie = cookie;
            break;
        }
    }

    // Check if cookie exists and authenticate the user
    boolean isAuthenticated = false;
    if (userCookie != null) {
        String[] userData = userCookie.getValue().split(";");
        for (String userDatum : userData) {
            String[] parts = userDatum.split("=");
            if (parts[0].equals(username) && parts[1].equals(password)) {
                isAuthenticated = true;
                break;
            }
        }
    }

    // Prepare response
    response.setContentType("text/html");
    PrintWriter out = response.getWriter();
    if (isAuthenticated) {
        out.println("<h2>Login Successful</h2>");
        out.println("<p>Welcome, " + username + "!</p>");
    } else {
        out.println("<h2>Login Failed</h2>");
        out.println("<p>Invalid username or password.</p>");
    }
}
}

```



Assignment: 10

Aim:- Create a table which should contain at least the following fields: name, password, email-id, phone number Write Servlet/JSP to connect to that database and extract data from the tables and display them. Insert the details of the users who register with the web site, whenever a new user clicks the submit button in the registration page.

Set up database :

```
CREATE DATABASE UserDB;
```

```
USE UserDB;
```

```
CREATE TABLE Users (  
  id INT AUTO_INCREMENT PRIMARY KEY,  
  name VARCHAR(50) NOT NULL,  
  password VARCHAR(255) NOT NULL,  
  email VARCHAR(100) NOT NULL UNIQUE,  
  phone VARCHAR(15) NOT NULL
```

);

Register.jsp:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>User Registration</title>
</head>
<body>
  <h2>Register</h2>
  <form action="RegisterServlet" method="POST">
    <label for="name">Name:</label>
    <input type="text" id="name" name="name" required><br><br>

    <label for="password">Password:</label>
    <input type="password" id="password" name="password" required><br><br>

    <label for="email">Email:</label>
    <input type="email" id="email" name="email" required><br><br>

    <label for="phone">Phone Number:</label>
    <input type="text" id="phone" name="phone" required><br><br>

    <input type="submit" value="Register">
  </form>
</body>
</html>
```

Registerservlet.java:

```
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.*;
import java.io.IOException;
import java.io.PrintWriter;
import java.sql.*;

@WebServlet("/RegisterServlet")
public class RegisterServlet extends HttpServlet {
  private static final String JDBC_URL = "jdbc:mysql://localhost:3306/UserDB";
  private static final String JDBC_USERNAME = "root";
  private static final String JDBC_PASSWORD = "yourpassword";

  @Override
  protected void doPost(HttpServletRequest request, HttpServletResponse response) throws
  ServletException, IOException {
    // Get form data
    String name = request.getParameter("name");
    String password = request.getParameter("password");
```

```

String email = request.getParameter("email");
String phone = request.getParameter("phone");

Connection conn = null;
PreparedStatement pstmt = null;
ResultSet rs = null;

response.setContentType("text/html");
PrintWriter out = response.getWriter();

try {
    // Load JDBC driver
    Class.forName("com.mysql.cj.jdbc.Driver");

    // Connect to the database
    conn = DriverManager.getConnection(JDBC_URL, JDBC_USERNAME,
JDBC_PASSWORD);

    // Insert new user into the database
    String insertSQL = "INSERT INTO Users (name, password, email, phone) VALUES
(?, ?, ?, ?)";
    pstmt = conn.prepareStatement(insertSQL);
    pstmt.setString(1, name);
    pstmt.setString(2, password);
    pstmt.setString(3, email);
    pstmt.setString(4, phone);
    pstmt.executeUpdate();

    // Retrieve all users from the database
    String selectSQL = "SELECT * FROM Users";
    pstmt = conn.prepareStatement(selectSQL);
    rs = pstmt.executeQuery();

    // Display all users
    out.println("<h2>Registered Users</h2>");
    out.println("<table
border='1'><tr><th>ID</th><th>Name</th><th>Email</th><th>Phone</th></tr>");

    while (rs.next()) {
        out.println("<tr>");
        out.println("<td>" + rs.getInt("id") + "</td>");
        out.println("<td>" + rs.getString("name") + "</td>");
        out.println("<td>" + rs.getString("email") + "</td>");
        out.println("<td>" + rs.getString("phone") + "</td>");
        out.println("</tr>");
    }
    out.println("</table>");

} catch (Exception e) {
    out.println("Error: " + e.getMessage());
}

```

```
        e.printStackTrace();
    } finally {
        // Clean up database resources
        try { if (rs != null) rs.close(); } catch (SQLException e) { e.printStackTrace(); }
        try { if (pstmt != null) pstmt.close(); } catch (SQLException e) { e.printStackTrace(); }
        try { if (conn != null) conn.close(); } catch (SQLException e) { e.printStackTrace(); }
    }
}
}
```